

Lighting

| Application | | | | | | | | | |
|--|--|--|--|--------------------|---|---|---|-----------------------|--|
| Date of Application | | | Expected Completion Date <i>(for Pre-Approval Applications)</i> | | | | Date Installation Complete <i>(for Final Applications)</i> | | |
| Customer Information <i>(*Matching Information Required)</i> | | | | | | | | | |
| Company Name | | | *Customer Contact Person | | | Incorporated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Exempt | | Federal Tax ID Number | |
| Street Address <i>(facility)</i> | | | | | E-mail | | | | |
| City | | State | ZIP | Customer Telephone | | | Customer Fax | | |
| Company Mailing Address <i>(if different from above)</i> | | | | | City | | State | ZIP | |
| 4-Digit NAICS <i>(for affected building)</i> http://www.naics.com/ | | Account Number <i>(affected by measure installation)</i> | | | Meter Number <i>(affected by measure)</i> | | | | |
| How did you hear about the NYSEG/RG&E Commercial & Industrial Rebate Program? <input type="checkbox"/> Utility representative <input type="checkbox"/> Contractor/trade ally <input type="checkbox"/> Web <input type="checkbox"/> Direct Mail <input type="checkbox"/> Other (specify): _____ | | | | | | | | | |
| Building Information | | | | | | | | | |
| Building Type Where Equipment Is Installed <i>(check most appropriate ONE)</i> <input type="checkbox"/> Assembly <input type="checkbox"/> Dormitory <input type="checkbox"/> Grocery <input type="checkbox"/> Hotel <input type="checkbox"/> Motel <input type="checkbox"/> Religious <input type="checkbox"/> Warehouse <input type="checkbox"/> Auto Repair <input type="checkbox"/> Elementary School <input type="checkbox"/> Heavy Industrial <input type="checkbox"/> Large Office <input type="checkbox"/> Multifamily high-rise <input type="checkbox"/> Small Office <input type="checkbox"/> Other <input type="checkbox"/> Big Box <input type="checkbox"/> Fast Food <input type="checkbox"/> High School <input type="checkbox"/> Large Retail <input type="checkbox"/> Multifamily low-rise <input type="checkbox"/> Small Retail <input type="checkbox"/> Community College <input type="checkbox"/> Full Service Restaurant <input type="checkbox"/> Hospital <input type="checkbox"/> Light Industrial <input type="checkbox"/> Refrigerated Warehouse <input type="checkbox"/> University | | | | | | | | | |
| How is your building heated? <input type="checkbox"/> Electric <input type="checkbox"/> Gas <input type="checkbox"/> Oil <input type="checkbox"/> Other (specify): _____ | | | | | | | | | |
| HVAC System Type: <input type="checkbox"/> AC with Gas Heat <input type="checkbox"/> Heat Pump <input type="checkbox"/> AC with Electric Heat <input type="checkbox"/> Electric Heat Only <input type="checkbox"/> Gas Heat Only <input type="checkbox"/> CV No Econ <input type="checkbox"/> CV Econ <input type="checkbox"/> VAV Econ <input type="checkbox"/> Unconditioned <input type="checkbox"/> Other (specify): _____ | | | | | | | | | |
| Contractor/Vendor Information | | | | | | | | | |
| Company Name | | | | | Contact Person | | | | |
| Company Address | | | | | | | | | |
| City | | State | ZIP | Vendor Telephone | | | E-mail | | |
| Customer Acknowledgement <i>(*Matching Information Required)</i> | | | | | | | | | |
| <i>By its signature below (or signature of a duly authorized representative if customer is an entity such as a corporation or a partnership), customer makes the following acknowledgments and certifications:</i> <input type="checkbox"/> Customer has read and acknowledges and accepts the Terms & Conditions of this rebate application. <input type="checkbox"/> Customer certifies that the equipment listed in this application has been installed to customer's satisfaction. <input type="checkbox"/> Customer agrees to the release of usage data to a third party contractor selected by NYSEG/RG&E for purposes of evaluating program effectiveness. | | | | | | | | | |
| *Customer Name/Title | | | | | | | | | |
| *Customer Signature | | | | | | Date | | | |
| Administrative Use Only | | | | | | | | | |
| Project ID Number | | | | | Program Representative | | | | |
| Date Received | | Date Input | | | Inspection Required | | | | |
| Program Manager Approval | | | | | Date Approved | | | | |

Instructions for Completing and Submitting the Lighting Measure Worksheet

1. Complete the Lighting Inventory Worksheet (Excel file) available at nyseg.com.
2. Fill in the appropriate fields of this application. Refer to the completed Lighting Inventory Worksheet from Step 1 for Measure Count.
3. Provide the following required documents to expedite processing:

Pre-Approval

- Completed Application
- Project scoping document (proposal, quote, estimate)
- Product specifications (cut sheets)
- Completed Lighting Inventory Worksheet (please submit an electronic Excel file)
- IRS Form W-9 must be completed and submitted with the application materials for the party receiving the incentive payment. IRS Form W-9 is available at www.irs.gov
- Copy of the customer's utility bill
- Third party authorization form (if applicable)

Final Approval

- Completed Application
- Itemized project invoice(s) with labor and material breakdown
- Product specifications (cut sheets)
- Completed Lighting Inventory Worksheet (please submit an electronic Excel file)
- IRS Form W-9 must be completed and submitted with the application materials for the party receiving the incentive payment. IRS Form W-9 is available at www.irs.gov
- Copy of the customer's utility bill
- Third party authorization form (if applicable)

Final Approval - Preapproved Projects

- Completion Certificate
 - Itemized project invoice(s) with labor and material breakdown
 - Copy of the signed rebate reservation letter
- If the scope has changed since preapproval:*
- Product specifications (cut sheets)
 - Completed Lighting Inventory Worksheet

General Eligibility Requirements for Lighting Systems and Controls

- ➔ All equipment must be new. Used or rebuilt equipment is not eligible.
- ➔ Pre-qualified projects must submit an application for incentives within 90 days of invoice for the purchase and installation of pre-qualified measures.
- ➔ Fluorescent fixtures w/ 4' T8 lamps: The lamp/ballast combinations must meet the specifications for High Performance HPT8 Systems as set forth by the Consortium for Energy Efficiency (CEE). Refer to CEE for High Performance HPT8 and Reduced Wattage HPT8 Lamp System specifications: www.cee1.org.
- ➔ Linear fluorescent systems that are longer than 4' can be incentivized as multiples of 4' fixture incentives (e.g. 8' incentives are twice those specified for 4' systems).
- ➔ Fluorescent fixtures with all other lamp sources: Ballast must be high frequency (>10 kHz) electronic and have THD <20 and a PF > 0.90 and be ETL- and UL-listed and the lamps must have tri-chromatic phosphors.
- ➔ All eligible lighting products must be UL listed and on the ENERGY STAR® or DesignLights Consortium™ (DLC) qualified products list.
- ➔ Replacement measures are intended to one-for-one replacement scenarios.
- ➔ Lighting controls required by code do not qualify for incentives.
- ➔ Ineligible projects or measures may be eligible under the performance-based Custom Rebate program. Please contact a program representative for clarification.

Individual Measure Incentive Totals *(Required)*

Lighting Systems Total \$ _____

Lighting Controls Total \$ _____

Grand Total Lighting Systems and Controls Incentive Request \$ _____

Project Cost Information *(Required)*

Total cost of MATERIALS installed lighting equipment Total \$ _____

Total cost of LABOR for installed lighting equipment Total \$ _____

Grand Total cost of Materials and Labor for Installed Lighting Equipment \$ _____

NOTE: Submit invoices for both materials and labor. For projects with an estimated rebate over \$10,000 submit separate proposals for both material and labor.

HVAC System Type Selection Table

From the list to the right, please select the type of HVAC system that serves the space in which the lighting measures will be installed. If none apply, select "Other" and briefly describe the system used.

- | | |
|---|--|
| <input type="checkbox"/> No heating or cooling | <input type="checkbox"/> Steam heat only |
| <input type="checkbox"/> AC with gas heat | <input type="checkbox"/> Constant volume system with no economizers |
| <input type="checkbox"/> Heat pump | <input type="checkbox"/> Constant volume system with economizers |
| <input type="checkbox"/> AC with electric heat | <input type="checkbox"/> Variable air volume system with economizers |
| <input type="checkbox"/> Electric heat only | <input type="checkbox"/> Water cooled ammonia screw compressors |
| <input type="checkbox"/> Gas heat only | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Fan coil with chiller and hot water boiler | |






Lighting Systems Incentive Table

General Eligibility Requirements:

- 4' U-shaped T8 lamps must have minimum efficacy of 79 mean lumens/watt and must be driven by high performance T8 ballasts.
- 2' linear T8 lamps must have minimum efficacy of 75 mean lumens/watt and must be driven by high performance T8 ballasts.
- The Consortium for Energy Efficiency maintains specifications and a list for high performance and reduced wattage T8 lamps and ballasts. The list is updated frequently and is available at <http://library.cee1.org/content/commercial-lighting-qualifying-products-lists>.
- 4' T8 lamps must be listed on a CEE-qualified list (see previous bullet) or meet the appropriate CEE specifications.






- Products must be on ENERGY STAR® or DesignLights Consortium™ (DLC) qualified products list as noted.
- Replacement measures are intended to be one-for-one replacement scenarios.

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|--------------------------|--|---|---------------------------|-------|-------------------|-------|
| F001 | LED Exit Sign  | <ul style="list-style-type: none"> • 5 watts or less per face • Entire sign must be new, replacing an existing sign • Exit sign retrofit kits are not eligible | 15W | | \$10 | |
| R001 (T8s) R011 (T5s) | Reduced Wattage T8 and T5 Relamp and Reballast  | <ul style="list-style-type: none"> • Reduced wattage high performance T8 lamps or T5 and ballast replacements are eligible • 1 unit = 1 to 4 lamps and 1 ballast • Must be an upgrade of an existing standard T8 or T12 fixture | 10W | | \$12.50 | |
| L001 | LED Linear T8 Relamp and Reballast  | <ul style="list-style-type: none"> • LED Linear T8 Lamps must be DesignLights Consortium™ (DLC) listed under the following: <ul style="list-style-type: none"> - Replacement Lamps ("Plug and Play")(UL type A) • Existing fixtures must have an existing or new electronic ballast. Fixtures with magnetic ballasts do not qualify. • Must have an integrated driver and be driven by electronic ballast voltage. Installations where existing ballast is bypassed do not qualify. • Must include documentation from manufacturer that clearly defines compatibility of the LED product with the fixture being retrofitted. Documentation must include model, project name and/or project location, fixture model or type being retrofitted and that it is compatible with the existing fixture. • 1 unit = 1 lamp. • Must be an upgrade of an existing standard wattage 4' T8 or 4' T12 fixtures. | 6W | | \$4 | |
| L011 | LED Linear T8 Relamp and Reballast  | <ul style="list-style-type: none"> • LED Linear T8 Lamps must be DesignLights Consortium™ (DLC) listed under the following: <ul style="list-style-type: none"> - 2-lamp External Driver Lamp-Style Retrofit Kits (UL Type C) - 3-lamp External Driver Lamp-Style Retrofit Kits (UL Type C) - 4-lamp External Driver Lamp-Style Retrofit Kits (UL Type C) • Must include documentation from manufacturer that clearly defines compatibility of the LED product with the fixture being retrofitted. Documentation must include model, project name and/or project location, fixture model or type being retrofitted and that it is compatible with the existing fixture. • 1 Unit = 1 lamp • Must be an upgrade of an existing standard wattage 4' T8 or 4' T12 fixtures. | 6W | | \$6 | |
| F002 (T8s) F012 (T5s) | Fluorescent Fixtures  | <ul style="list-style-type: none"> • T5, T5HO, and high performance and reduced wattage T8 systems are eligible • 1 unit = 1 new fixture with 1 to 4 lamps and 1 ballast • 3 lamp fixtures with 2 ballasts and dual switching are eligible under this measure code | 10W | | \$20 1-4 lamps | |





Lighting Systems Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|--------------------------|--|---|---------------------------|-------|-------------------------|-------|
| F003 (T8s) F013 (T5s) | Fluorescent Fixtures  | <ul style="list-style-type: none"> T5H0 fixtures are eligible under this measure code Pendant-, surface-, and recessed-mounted direct/indirect fixtures are eligible under this code Must be an upgrade of an existing standard T8 or T12 fixtures Linear fluorescent fixtures that do not meet the other codes – HP-HEF, HEF-LG and HIF – may be eligible under this measure code 1 unit = 1 new fixture with 4 to 6 lamps and up to 2 ballasts | 10W | | \$25 4-6 lamps | |
| F004 (T8s) F014 (T5s) | High Efficiency Troffer Fixture  | <ul style="list-style-type: none"> T5 and high performance T8 systems are eligible 1 unit = 1 fixture with 2 lamps and 1 ballast Overall fixture efficiency must exceed 80% 2x4 and 2x2 fixtures and retrofit kits are eligible New fixtures and retrofit kits must replace T12 fixtures or replace T8 fixtures with 3+ lamps | 10W | | \$25 | |
| R002 (T8s) R012 (T5s) | High Efficiency Low Glare Fixture  | <ul style="list-style-type: none"> T5, T5H0, and high performance and reduced wattage T8 systems are eligible 1 unit = 1 fixture with 1 or 2 lamps and 1 ballast Overall fixture efficiency must exceed 80% and a minimum of 15% of the zonal lumens between 60 and 90 degrees 2x4, 2x2 and 1x4 fixtures are eligible Must be a new fixture or a retrofit kit incorporating advanced lighting distribution and glare control features | 15W | | \$25 | |
| LS01 | LED Interior 1x4, 2x2, and 2x4 Fixtures  | <ul style="list-style-type: none"> LED Interior 1x4, 2x2, and 2x4 products must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> 1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces 2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces Integrated Retrofit Kits for 1x4 Luminaires Integrated Retrofit Kits for 2x2 Luminaires Integrated Retrofit Kits for 2x4 Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 2,000hrs annually. | 44W | | \$20 DLC Standard | |
| LP01 | LED Interior 1x4, 2x2, and 2x4 Integrated Retrofit Kits | | | | \$25 DLC Premium | |
| LS02 | LED Interior 1x4, 2x2, and 2x4 Fixtures  | <ul style="list-style-type: none"> LED Interior 1x4, 2x2, and 2x4 products must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> 1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces 2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces Integrated Retrofit Kits for 1x4 Luminaires Integrated Retrofit Kits for 2x2 Luminaires Integrated Retrofit Kits for 2x4 Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 3,100hrs annually | 60W | | \$30 DLC Standard | |
| LP02 | LED Interior 1x4, 2x2, and 2x4 Integrated Retrofit Kits | | | | \$35 DLC Premium | |








Lighting Systems Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|--------------|--|--|---------------------------|-------|--------------------------|-------|
| LS03 | LED Interior 1x4, 2x2, and 2x4 Fixtures LED Interior 1x4, 2x2, and 2x4 Integrated Retrofit Kits  | <ul style="list-style-type: none"> LED Interior 1x4, 2x2, and 2x4 products must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - 1x4 Luminaires for Ambient Lighting of Interior Commercial Spaces - 2x2 Luminaires for Ambient Lighting of Interior Commercial Spaces - 2x4 Luminaires for Ambient Lighting of Interior Commercial Spaces - Integrated Retrofit Kits for 1x4 Luminaires - Integrated Retrofit Kits for 2x2 Luminaires - Integrated Retrofit Kits for 2x4 Luminaires - Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,800hrs annually | 50W | | \$35 DLC Standard | |
| LP03 | | | | | \$40 DLC Premium | |
| F005 | High Intensity Fluorescent Fixture  | <ul style="list-style-type: none"> T5, T5HO, and high performance T8 systems are eligible Each unit must have a wattage greater than 125 W Must be installed in areas with ceiling heights of 15 feet or greater 1 unit = 1 fixture with 3-12 lamps Overall fixture efficiency must exceed 80% New fixtures must replace HID fixtures or T12 systems | 10W | | \$50 | |
| LS04 | LED Interior High Bay/ Low Bay Fixtures or Retrofit Kits (20-99W)  | <ul style="list-style-type: none"> LED Interior High/Low Bay Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - High-bay Luminaires for Commercial and Industrial Buildings - Low-bay Luminaires for Commercial and Industrial Buildings - High-bay Aisle Luminaires - Retrofit Kits for High-bay Luminaires for Commercial and Industrial Buildings - Retrofit Kits for Low-bay Luminaires for Commercial and Industrial Buildings - Consult program for products listed in Specialty categories | 170W | | \$80 DLC Standard | |
| LP04 | | | | | \$85 DLC Premium | |
| LS05 | LED Interior High Bay/ Low Bay Fixtures or Retrofit Kits (100-199W)  | <ul style="list-style-type: none"> LED Interior High/Low Bay Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - High-bay Luminaires for Commercial and Industrial Buildings - Low-bay Luminaires for Commercial and Industrial Buildings - High-bay Aisle Luminaires - Retrofit Kits for High-bay Luminaires for Commercial and Industrial Buildings - Retrofit Kits for Low-bay Luminaires for Commercial and Industrial Buildings - Consult program for products listed in Specialty categories | 227W | | \$110 DLC Standard | |
| LP05 | | | | | \$115 DLC Premium | |






Lighting Systems Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|---------------------------------|---|--|---------------------------|----------------|--------------------------|-------|
| LS06 | LED Interior High Bay/ Low Bay Fixtures or Retrofit Kits (≥ 200W)  | <ul style="list-style-type: none"> LED Interior High/Low Bay Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - High-bay Luminaires for Commercial and Industrial Buildings - Low-bay Luminaires for Commercial and Industrial Buildings - High-bay Aisle Luminaires - Retrofit Kits for High-bay Luminaires for Commercial and Industrial Buildings - Retrofit Kits for Low-bay Luminaires for Commercial and Industrial Buildings - Consult program for products listed in Specialty categories | 350W | | \$150 DLC Standard | |
| LP06 | | | | | \$155 DLC Premium | |
| L002 | LED Downlights  | <ul style="list-style-type: none"> Product must be on the ENERGY STAR® qualified products list Recessed-, surface- and pendant-mounted LED downlights are eligible for incentives Linear (1x4, 2x4, 2x2) fixtures are not eligible under this measure Screw base LED downlight retrofit kits are eligible | 25W | | \$50 | |
| L003 | LED Screw-in and Pin-based  | <ul style="list-style-type: none"> Product must be on the ENERGY STAR® qualified products list Screw- or pin-based LED retrofit lamps are eligible * All incentivized lamps and fixtures must remain installed at the site listed on the application until the end of their useful life. Incentivized lamps and fixtures may not be resold or otherwise transferred to any other location | 12W | | \$4 | |
| F006 | Interior, self-ballasted CMH PAR lamp  | <ul style="list-style-type: none"> Minimum Wattage 15 Must be a PAR lamp with integral ballast Must replace a standard incandescent or halogen of greater wattage, downlight, directional, accent and/or track lighting applications | 15W | | \$15/lamp | |
| F007 | Interior, CMH fixture w/remote mounted ballast  | <ul style="list-style-type: none"> Minimum Wattage 30 and Maximum Wattage 100 These eligible new units must consist of remote ballast in a down light, directional, accent and/or track lighting applications | 30W | | \$30/fixture | |
| L004 (Cooler) L005 (Freezer) | LED Refrigerated Case Lights  | <ul style="list-style-type: none"> LED Refrigerated Case Lights must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> -Horizontal Refrigerated Case Luminaires -Vertical Refrigerated Case Luminaires Measure includes complete LED refrigerated case lights for reach-in coolers and freezers Fixture may be 3', 4', 5', 6' long | 15W | | \$30 / 3' x 4' | |
| L014 (Cooler) L015 (Freezer) | | | 20W | \$50 / 5' x 6' | | |
| LS11 | LED Exterior Garage and Canopy  | <ul style="list-style-type: none"> LED Exterior Garage and Canopy Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - Parking Garage Luminaires - Fuel Pump Canopy Luminaires - Retrofit Kits for Parking Garage Luminaires - Retrofit Kits for Fuel Pump Canopy Luminaires - Consult program for products listed in Specialty categories Fixture must be located in a garage or under an exterior canopy Existing equipment must operate for a minimum of 4,380hrs annually | 60W | | \$140 DLC Standard | |
| LP11 | | | | | \$145 DLC Premium | |


Lighting Systems Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|--------------|---|---|---------------------------|-------|--------------------------|-------|
| LS12 | LED Wall Packs  | <ul style="list-style-type: none"> LED Wall Mounted Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> Outdoor Full-Cutoff Wall-mounted Area Luminaires Outdoor Non-Cutoff and Semi-Cutoff Wall-mounted Area Luminaires Retrofit Kits for Outdoor Full-Cutoff Wall-mounted Area Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,380hrs annually | 80W | | \$125 DLC Standard | |
| LP12 | | | | | \$130 DLC Premium | |
| LS07 | LED Exterior Flood/Spot Fixtures or Retrofit Kits  | <ul style="list-style-type: none"> LED Exterior Flood/Spot Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> Landscape/Accent Flood and Spot Luminaires Architectural Flood and Spot Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,380hrs annually | 260W | | \$145 DLC Standard | |
| LP07 | | | | | \$150 DLC Premium | |
| LS08 | LED Exterior Flood/Spot Fixtures or Retrofit Kits  | <ul style="list-style-type: none"> LED Exterior Flood/Spot Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> Landscape/Accent Flood and Spot Luminaires Architectural Flood and Spot Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,380hrs annually | 440W | | \$250 DLC Standard | |
| LP08 | | | | | \$260 DLC Premium | |
| LS09 | LED Pole/Arm-mounted Fixtures or Retrofit Kits  | <ul style="list-style-type: none"> LED Exterior Pole/Arm-mounted Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> Outdoor Pole/Arm-mounted Area and Roadway Luminaires Outdoor Pole/Arm-mounted Decorative Luminaires Retrofit Kits for Outdoor Pole/Arm-mounted Area and Roadway Luminaires Retrofit Kits for Outdoor Pole/Arm-mounted Decorative Luminaires Retrofit Kits for Large Outdoor Pole/Arm-mounted Area and Roadway Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,380hrs annually | 260W | | \$145 DLC Standard | |
| LP09 | | | | | \$150 DLC Premium | |
| LS10 | LED Exterior Pole/Arm-mounted Fixtures or Retrofit Kits  | <ul style="list-style-type: none"> LED Exterior Pole/Arm-mounted Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> Outdoor Pole/Arm-mounted Area and Roadway Luminaires Outdoor Pole/Arm-mounted Decorative Luminaires Retrofit Kits for Outdoor Pole/Arm-mounted Area and Roadway Luminaires Retrofit Kits for Outdoor Pole/Arm-mounted Decorative Luminaires Retrofit Kits for Large Outdoor Pole/Arm-mounted Area and Roadway Luminaires Consult program for products listed in Specialty categories Existing equipment must operate for a minimum of 4,380hrs annually | 440W | | \$250 DLC Standard | |
| LP10 | | | | | \$260 DLC Premium | |





Lighting Systems Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Reduction | Count | Unit Rebate | Total |
|--------------|--|---|---------------------------|-------|-------------------------|-------|
| FS06 | Bi-level Stairwell Lighting  | <ul style="list-style-type: none"> LED Bi-level Stairwell Fixtures must be DesignLights Consortium™ (DLC) listed under one of the following: <ul style="list-style-type: none"> - Stairwell and Passageway Luminaires - Consult program for products listed in Specialty categories Replacement of single-lamp T8 fixtures, two-foot fixtures and CFL fixtures is not eligible under this code The ratio of full wattage to low-level (standby) wattage must exceed 3:1 The fixtures must have a fail-safe feature to switch to 100% light level if sensor is damaged Installation must comply with all national and local safety codes for stairwell illumination This measure is eligible in: hospitals, hotels, any building with at least 5 floors and elevators | 10W | | \$30 DLC Standard | |
| FP06 | | | | | \$35 DLC Premium | |

Lighting Controls Incentive Table

→ MINIMUM WATTAGE REQUIREMENTS GO INTO EFFECT AUGUST 15, 2016.

| Measure Code | Measure Description | Eligibility Criteria | Minimum Wattage Controlled | Count | Incentive/Sensor | Total |
|--------------|---|--|----------------------------|-------|------------------|-------|
| C001 | Fixture-mounted Occupancy Sensor  | <ul style="list-style-type: none"> Sensors must utilize passive infrared and/or ultrasonic technologies Must be installed on high-intensity fluorescents or LED rated 125 W or greater | 125W | | \$25 | |
| C002 | Wall-mounted Occupancy Sensor  | <ul style="list-style-type: none"> Sensors must be hardwired and utilize passive infrared and/or ultrasonic technologies Occupancy sensors or installations with occupant accessible "manual on" override capability are not eligible Installations must comply with manufacturer's guidelines on coverage and maximum controlled watts | 35W | | \$15 | |
| C003 | Remote-mounted Occupancy Sensors  | <ul style="list-style-type: none"> Sensors must utilize passive infrared and/or ultrasonic technologies Wall switch-plate-mounted sensors are not eligible Installations must comply with manufacturer's guidelines on coverage and maximum controlled watts Remote mounted sensors configured as vacancy sensors are eligible | 85W | | \$40 | |
| C004 | High Intensity Discharge Lighting Controls  | <ul style="list-style-type: none"> Occupancy controlled hi-low switching of HID Daylight controlled dimming of HID | 175W | | \$50/sensor | |

Total Estimated Incentive = \$

NOTE: For eligibility requirements of lamps and ballasts, visit the CEE's web site at www.cee1.org.
For eligible listing of qualified LED lamps and LED fixtures visit www.energystar.gov/certified-products and/or www.designlights.org

Terms & Conditions

1. **REBATE OFFER:** Prescriptive project applications must be submitted within 90 days of invoice for the purchase and installation of prescriptive measures.
2. **ELIGIBILITY:** Rebates are available to active nonresidential electricity customers for the purchase and installation of qualifying energy savings measures in the NYSEG/RG&E service area. Rebates are offered on a first-come, first-served basis and are subject to project and customer eligibility and availability of funds.
3. **APPROVAL AND VERIFICATION:** Pre-approval from NYSEG/RG&E will be required on all prescriptive applications where the rebates are over \$10,000. Projects must be completed by the date listed on the pre-approval notification letter (within 180 calendar days of project pre-approval). All projects that require pre-approval may also require pre-inspection. NYSEG/RG&E reserves the right to verify sales transactions and to have reasonable access to your facility to inspect the installed energy saving measures prior to issuing rebates or at a later time. NYSEG/RG&E reserves the right for any reason to stop pre-approving energy saving measures at any time without notice. In particular, NYSEG/RG&E is not obligated to pre-approve any application for a rebate that may result in NYSEG/RG&E exceeding its program budget. NYSEG/RG&E reserves the right to cap the rebate paid to any one customer.
4. **PROOF OF PURCHASE:** This application must have complete information and be submitted with an invoice itemizing the new equipment purchased. The invoice must indicate the full project costs (material and labor), date of purchase, the size, type, make, model, serial number, part number and/or equipment manufacturer specification sheets. The signed application must be returned to NYSEG/RG&E C&I Rebate Program, c/o Franklin Energy, fax 1.585.486.6571 or e-mail cienergysavings@franklinenergy.com.
5. **COMPLIANCE:** All projects must comply with all federal, state and local, laws, rules, regulations and codes, as applicable. Existing equipment must be removed and disposed in a proper and legal manner. NYSEG/RG&E encourages that equipment is disposed of and/or recycled in an environmentally friendly manner. Equipment must meet specification requirements and be purchased and operating prior to submitting the application form. Only one rebate will be granted for each project. Customers can receive rebates from NYSERDA or NYSEG/RG&E but NOT from both NYSERDA and NYSEG/RG&E for the same measure.
6. **PAYMENT:** Once completed paperwork is submitted and approved by NYSEG/RG&E, rebate payments will be made within an estimated 6-8 weeks. Incomplete applications will be returned. The benefits/payments conferred upon the customer through participation in this program may be taxable by the federal, state, and local government. The customer is responsible for declaring and paying all such taxes. **The party receiving the incentive payment (Customer or Contractor) must complete IRS Form W-9 and submit it to NYSEG/RG&E with the incentive application materials.**
7. **INSPECTION:** The customer agrees, as a condition of participation in the program, to cooperate with activities designed to evaluate program effectiveness, such as allowing on-site inspection and measurement of installed projects.
8. **NYSEG/RG&E/PROGRAM LOGO:** Customers or market providers may not use the NYSEG/RG&E or program name or logo in any marketing, advertising, or promotional materials without NYSEG/RG&E's prior written permission, which may be granted or withheld by NYSEG/RG&E in its sole and absolute discretion.
9. **DISCLAIMERS:** NYSEG/RG&E does not endorse any particular market provider, manufacturer, product, labor or system design by offering this program; will not be responsible for any tax liability imposed on a customer as a result of the payment of rebates; does not expressly or implicitly warrant the performance of installed equipment or contractor's quality of work (contact your contractor for detailed warranties); is not responsible for proper and legal disposal/recycling of any waste generated as a result of this project; and is not liable for any damage caused by the installation of the equipment or for any damage caused by the malfunction of the installed equipment.
10. **VERIFICATION:** Prior to or after paying any rebate, NYSEG/RG&E reserves the right to conduct a site visit to verify that the installed equipment is eligible for rebate. The site visit, and all aspects related to the site visit, is conducted solely for such purpose. The site visit is not a safety review and is not intended for any other purposes. A rebate will not be paid if NYSEG/RG&E is not able to conduct any required verification. Additionally, if the site visit indicates that the equipment is not eligible for a rebate, such that a rebate should not have been issued, then any rebate already paid to the customer with respect to such ineligible equipment shall be immediately returned by the customer to NYSEG/RG&E.
11. **APPLICATION DOES NOT ENTITLE CUSTOMER TO PARTICIPATE:** The program described in this application may be altered, suspended, or canceled by NYSEG/RG&E at any time without prior notice. Under such circumstances, the customer is not entitled to any program benefits in excess of those approved prior to such action by NYSEG/RG&E. Submission of a completed application does not entitle the customer to program participation. Entitlement to program participation can only occur after NYSEG/RG&E has signed a copy of the application and granted pre-approval if required by NYSEG/RG&E.
12. **REMOVAL OF EQUIPMENT:** The customer agrees, as a condition of participation in the program, to remove and dispose of the equipment being replaced by the energy savings measures in accordance with all legal requirements. The customer agrees to not install any of this equipment in the NYSEG/RG&E service area.
13. **CHANGES TO THE PROGRAM:** NYSEG/RG&E may change the program and the Terms & Conditions at any time without notice. Pre-approved applications, however, will be processed to completion under the Terms & Conditions in effect at the time of the pre-approval by NYSEG/RG&E.
14. **NO WARRANTIES:** NYSEG/RG&E does not endorse, guarantee, or warrant any particular manufacturer or product and NYSEG/RG&E provides no warranties, expressed or implied, for any products or services. The customer's reliance on warranties is limited to any warranties that may arise from, or be provided by contractors, vendors, etc. The customer acknowledges that neither NYSEG/RG&E nor any of its consultants are responsible for assuring the design, engineering and construction of the facility or installation of the energy savings measures is proper or complies with any particular laws (including patent laws), codes, or industry standards. NYSEG/RG&E DOES NOT MAKE ANY REPRESENTATIONS OF ANY KIND REGARDING THE RESULTS TO BE ACHIEVED BY THE ENERGY SAVINGS MEASURES OR THE ADEQUACY OR SAFETY OF SUCH MEASURES, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
15. **LIMITATION OF LIABILITY:** NYSEG/RG&E's sole liability is limited to paying the properly qualified rebates specified herein. Neither NYSEG/RG&E nor any of its affiliates shall be liable to the customer or any other party for any damages whatsoever, including, without limitation, indirect, consequential or incidental damages, regardless of the theory of recovery, caused by or arising from any activities associated with this program.
16. **VENDOR SELECTION:** NYSEG/RG&E acknowledges that the customer may select any vendor or contractor to perform the work contemplated by this application, even after the application is submitted for pre-approval by NYSEG/RG&E. Notwithstanding the foregoing, the customer acknowledges that NYSEG/RG&E has the right to prohibit specific vendors or contractors from program participation for any reason or no reason in its sole and absolute discretion.
17. **OBLIGATIONS BETWEEN THE PARTIES:** Customer acknowledges that any contractor selected by the customer is not an agent, contractor or subcontractor of NYSEG/RG&E. NYSEG/RG&E shall have no obligation to maintain, remove or perform any work whatsoever on the energy savings measures installed. NYSEG/RG&E shall have no liability for contractor's failure to perform, for failure of the energy savings measures to function, for any damage to the customer's premises caused by the contractor or for any and all damages to property or injuries to persons caused by the energy savings measures.
18. **ENERGY BENEFITS:** NYSEG/RG&E is entitled to 100% of the energy benefits associated with the energy savings measures, excluding the value of energy cost savings realized by the customer, but including all rights to all associated New York Independent System Operator energy, capacity and reserves products, and the customer agrees to provide NYSEG/RG&E with such further documentation as NYSEG/RG&E may request to confirm NYSEG/RG&E's ownership of such benefits and products.
19. **CUSTOMER'S CERTIFICATION:** Customer certifies that he/she has purchased and installed the equipment listed above at the defined location. Customer agrees that all information is true and that he/she has conformed to all initiative and equipment requirements listed. Customer has verified that the units listed above have been installed correctly. Customer or customer's representative has been instructed on how to operate and maintain this equipment and has received all necessary operation and maintenance manuals.
20. **REBATE FINANCIAL LIMITS:** Total incentive cannot exceed 100% of project costs. Simple payback must be greater than or equal to one year. NYSEG/RG&E reserves the right to cap incentive amounts on a per-project or per-customer basis per the needs of the program.